
air sports equipment lettering perfect & safe

only with original skysticker quality material










ELOSER.



skystickerlight+

The particularly light skysticker fabric with only 38 g/m and an enormous color variety of 15 colors.

skystickerultralight

At only 27 g/m the lightest ripstop fabric on the market. Available 2 in 8 colors.

skystickerwhitemetallic

Due to one-sided aluminum vapor deposition, this material is 100% opaque on dark surfaces.

skystickerdigital

The limitless labeling options in color digital printing on 65 - fabric. For pictures and the whole world of colors.

Especially for outdoor

skysticker is a self-adhesive ripstop fabric that was specially developed for the extreme stresses of outdoor use.

30 years of Know-how

With this experience in labeling paragliders and kites, a product was created that exceeds the high demands placed on labeling materials for aircraft.

Unique advantages for your labeling

The combination of very light cloth and modified strong adhesive closes a gap for the advertising technician. And thanks to the extensive color palette and four skysticker products for individual requirements, every message and every advertisement can be realized in a striking way.

The synthesis of required properties

skysticker is the result of the requirements for perfect labels:

- Very light fabric
- Strong adhesive with a high temperature range
- Wide range of colors











Perfectly coordinated. Perfectly labeled.

For paragliders: The very light self-adhesive paraglider fabric is the optimum for labeling paragliders. The weight load on the paraglider is negligible thanks to the labeling with skysticker.

For hanggliders: The very thin fabric in combination with the modified acrylic adhesive fits perfectly even to heavily sewn coverings.

For kites: With an adhesive temperature range of up to 40 degrees, skysticker is ideal for use with snow kites. The salt water resistance and high adhesive strength are basic requirements for use on tow parachutes.

For all areas of application, 4 skysticker products are available for individual use.

Technical data:

skystickerlight+	skystickerultralight	skystickerwhitemetallic	skystickerdigital
polyamide fabric 38g/m²	polyamide fabric 27g/m²	polyamide fabric 38g/m² one-sided metallization	polyamide fabric 65g/m²
acrylic adhesive 50g/m²	acrylic adhesive 50g/m²	acrylic adhesive 50g/m²	acrylic adhesive 50g/m²
15 Colors	8 Colors	1 Colors	4C-digitalprinting
L+010 black	UL010 black	WM190 whitemetallic	
L+025 middle grey	UL030 red		
L+032 fire red	UL070 lilac		
L+037 bordeaux red	UL080 orange		
L+070 lilac	UL095 golden yellow		
L+080 orange	UL125 lime green		
L+090 yellow	UL150 middle blue		
L+095 golden yellow	UL160 blue		
L+110 green			
L+115 dark green			
L+125 lime green			-
L+130 turquoise			
L+150 middle blue			
L+160 blue			
L+165 dark blue			

skysticke<u>r base material:</u>

Ripstop fabric made of 100% nylon (polyamide).

Due to the different weights of the different color pigments, there may be a 5% difference in weight.

The weight information given in the brochure refers to the ripstop fabric and does not include glue.

Processing

Specially developed for use on plotters with excellent cutting and processing properties.

masking paper:

Siliconized on both sides. This prevents the cover paper from sticking when it is accidentally folded over.

Acrylic adhesive:

Specially modified for heavy-duty use:

Synthesis of high adhesive strength values with optimized temperature resistance. Temperature range: -40°C to +120°C (briefly up to +160°C).

The information on suitability reflects our experience. In any case, a suitability test must be carried out under the respective operating conditions. The information is not binding and does not constitute a guarantee.

Subject to change.



Call now!
Find out more personally.
We look forward to speaking with you.

GH Werbebeschriftungen Jensenstrasse 12 83209 Prien am Chiemsee GERMANY

phone: 0049 (0)8051 63676

web: www.skysticker.de mail: info@skysticker.de

owner: Gerald Helbig